

HiStone

Luna-S PoS System



HiStone

Luna-S HK528 POS System (Windows & Linux)

The HiStone Luna-S All-In-One Point of Sale System is the perfect fusion of power, functionality, and style, ideal for any retail, hospitality, or service-based business. With its modern design, intuitive interface, and powerful processor, the Luna-S elevates your customer experience and streamlines your operations.

The larger 15.6 Inch touchscreen provides a responsive and intuitive interaction to ensure smooth navigation and enhances the overall user experience. Despite its impressive capabilities, the Luna-S has a remarkably small footprint, leaving more room for other essential equipment and maximising your counter space.



The combination of its expansive touchscreen, compact size, integrated printer, performance-driven CPU, extensive I/O ports, and stylish design make this PoS system the perfect option for businesses looking for an affordable, high-quality solution.

Features

- ❑ All-In-One PoS with 15.6" TFT LCD widescreen display
- ❑ True flat capacitive touch screen
- ❑ Fanless design for silent operation
- ❑ Space-saving compact footprint
- ❑ Optional integrated 80mm thermal printer
- ❑ Optional 10.1" LCD customer-facing display
- ❑ Supports biometric fingerprint reader (integrated or on an external cradle)

| MODEL | | HK528 |
|-----------------------|---|---|
| Processor | | Intel® Celeron J6412 Gemini Lake Quad-core 2.0GHz up to 2.6GHz |
| Operating System | | Windows 10 / Linux |
| Memory | | SO-DIMM DDR4 3200MHz 4GB up to 16GB |
| Storage | | M.2 SATA 128GB up to 256GB |
| Display Panel | | 15.6" LED widescreen Standard resolution: 1920 x 1080 |
| Touch Screen | | True flat capacitive touchscreen |
| Power Supply | | 24V 90W |
| Speaker | | 1* 3W Speaker |
| I/O Ports | USB | 4* 2.0, 2* 3.0 |
| | Power-in | 1* 24V |
| | Serial | 1* RJ50 |
| | | 1* DB9 |
| | LAN | 1* 100M/1000M Gigabit |
| | Cash Drawer | 1* 24V RJ11 |
| | Audio | 1* 3.5mm |
| | Video | 1* DP |
| Optional Peripherals | Camera | Face ID Payment Camera (<i>Special Order</i>) |
| | | Membership Recognition Camera 800W (<i>Special Order</i>) |
| | Wi-Fi® | Dual-band 802.11a/b/g/n/ac 2.4GHz/5GHz |
| | Bluetooth | BT 5.0 |
| | Second Display | 10.1" Touch / Non-touch Resolution: 1280 x 800 (<i>Touch is a Special Order</i>) |
| | | 15.6" Touch / Non-touch Resolution: 1920 x 1080 (<i>Special Order</i>) |
| | Printer | Integrated 80mm thermal printer |
| | Card Reader | MSR Only (3 tracks) |
| | | MSR & RFID (Supports MIFARE one & MIFARE CPU card) |
| | Fingerprint Reader | DP Reader on external cradle |
| HID Integrated reader | | |
| Scanner | Separate handheld or presentation scanner | |

All products specifications are subject to change without notice.

| MODEL | | HK528 |
|--------------------|-----------|--|
| Dimensions (LxWxH) | | 380 × 250 × 375 mm |
| Weight | | 5kg |
| Tilt Adjustment | | 10° - 50° (Vertical) |
| Operating Voltage | | 100V~240V |
| Environment | Operating | 0°C - 40°C / 35%-80% RH non-condensing |
| | Storage | -20°C - 55°C / 20%-93% RH non-condensing |
| EMC and Safety | | CE, FCC , RoHS |
| Colour | | Black White (<i>Special Order</i>) |

All products specifications are subject to change without notice.