

HiStone

Tablet PoS System



HiStone

HM628N 10 Inch PoS Tablet (Windows)

The HiStone Tablet PoS System is the ideal tablet for businesses requiring a versatile and robust system that offers the ultimate flexibility. Whether used in hospitality, retail, healthcare or warehouses, the HM628N PoS tablet provides a comprehensive, adaptable solution that will add value to your business.

With a sturdy hand strap or shoulder strap, this tablet allows you to engage with customers on-the-spot, boosting in-store efficiency while allowing for effortless maintenance of superb customer service.



When combined with the optional smart docking station, the HiStone HM628N can be used as a traditional Point of Sale system at a fixed location in your store. With mobile PoS technology, you can run your PoS system on the go and enhance customer experience while also increasing revenue and productivity.

Features

- ❑ Bezel-free, flat and PCAP multi-touch 10.1" widescreen display enhancing user experience
- ❑ 9 Hours batter life
- ❑ Standard charging docking station
- ❑ Optional smart docking station with various I/O ports, with or without an optional integrated printer
- ❑ Flexible operational scenarios; mobile, desktop or wall mount
- ❑ Optional integrated 1D or 2D barcode scanner
- ❑ Standard integrated MSR (3-tracks)
- ❑ Rugged protective casing
- ❑ Sturdy hand strap
- ❑ Optional shoulder strap
- ❑ VESA wall mount capabilities

Customizable Options

Choose from a range of peripherals to suit your retail or hospitality environment.



Smart Docking Station
with lock and optional
58mm integrated
thermal printer

1D or 2D Scanner



RFID Module

Optional WiFi or Bluetooth
80mm Thermal Printer



VESA Wall Mount
Capability

Shoulder strap

308mm or 410mm
Wide Cash Drawer



Handheld or
Presentation
Barcode
Scanners



MODEL		HM628N
Processor		Intel® Celeron N4120 Quad-core 1.1GHz up to 2.6GHz
Operating System		Windows 10
Memory		4GB
Storage		64GB eMMC
Display Panel		10.1" TFT LCD (LED backlight) widescreen Standard Resolution 1280 x 800
Touch Screen		True Flat Capacitive Touch Screen 10 Point Touch
Power Supply		12V 2A
Battery		7.6V 5500mAh
Speaker		2 x 1W
Buttons		Power, Volume +/-, Barcode Scanner
I/O Ports	USB	1* 3.0, 1* Micro
	Audio	1* 3.5mm
	HDMI	1* Micro
	Power Out	1* 12V 2A
	SIM Card	1* Nano
	TF Card	1* Standard up to 32GB
Default Peripherals	Wi-Fi®	Dual-band 802.11a/b/g/n/ac 2.4GHz/5GHz
	Bluetooth	BT 4.1
	Camera	5MP AF rear-facing
		2MP AF front-facing
	MSR	3 tracks MSR
	GPS	Standard GPS
	G-sensor	Standard G-sensor
	Hand Strap	1* Sturdy hand strap
Charging Dock	1* Charging docking station	
Optional Peripherals	Encrypted MSR	Magtek Encrypted MSR
	RFID	3 tracks MSR & RFID (OPOS)
	Scanner	1D Barcode scanner
		2D Barcode scanner
	Connectivity	4G Module
	Wall Mount	VESA Wall mount bracket
	Mobility	Shoulder strap
Smart Dock	Smart Docking Station with or without integrated 58mm thermal printer	

MODEL		HM628N
Dimensions (WxDxH)	Tablet	282 x 198 x 18 mm
	Charging Dock	151 x 92 x 121 mm
	Smart Dock	236 x 218 x 150-370 mm
Weight	Tablet	1kg
	Charging Dock	325g
	Smart Dock	2.82kg
Environment	Operating	5°C - 40°C / 40%-90% RH non-condensing
	Storage	-20°C - 60°C/10%-90% RH non-condensing
EMC and Safety		FCC / CE / RoHS
Colour		Black
Charging Docking Station	Power Supply	12V 2A
	I/O Ports	2* USB 2.0
Smart Docking Station	Power Supply	24V 90W
		3* USB 2.0
	I/O Ports	2* RS232 Serial
		1* RJ45 100M LAN Ethernet
		1* RJ11 (D-24V) Cash Drawer
	Optional Peripheral	Integrated 58mm thermal printer
		MPOS Bracket
	Tilt Adjustment	Top Hinge 0° - 180°
Bottom Hinge 0° - 75°		

All products specifications are subject to change without notice.